



AMERICAN BEARING MFG.CORP.



65 mm x 90 mm x 13 mm NSK 6913DDU deep groove ball bearings

Bearing No. 6913DDU

6913DDU Bearing 2D drawings and 3D CAD models

Size	65x90x13 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	13 mm
d	65 mm
D	90 mm
B	13 mm
C	13 mm
r min.	1 mm
da min.	70 mm
da max	71,5 mm
Da max.	85 mm
ra max.	1 mm
Weight	0,218 Kg
Basic dynamic load rating (C)	17,4 kN
Basic static load rating (C0)	16,1 kN
(Grease) Lubrication Speed	4 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.21
EAN	0029176066771
Product Group	B00308
Enclosure	2 Seals



AMERICAN BEARING MFG.CORP.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 90MM Outside Diameter; 13MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6913DDU
Weight / LBS	0.4807
Bore	2.559 Inch 65 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Outer Race Width	0.512 Inch 13 Millimeter
SRI	3.7
hidYobi	6913DDU



AMERICAN BEARING MFG.CORP.

LangID	1
D_	90
SREX	0.02
B_	13
da min	70
hidTable	ecat_NSRDGB
SRE	3.7
mass	0.218
GRS rpm	4000
ra	1
SRIX	0.02
D_a	85
SRIN	-0.02
C0	16.1
fo	16.6
SREN	-0.02
DE_	84.644
Prod_Type3	DGBB_SR_DD
DA_	7.144
bomp	0
Z_	19
yobi	6913DDU
C_conv	17400
ALPHA_	0
SDM_	77.5
r	1
KBRG	6161
SBRG	19
DI_	70.356